



POWER-ALL®

POWER COMPATIBILITY CHART

BRAND	MODEL	PA-9 COMPATIBLE	ADDITIONAL REQUIREMENTS/NOTES
Akai	All Models	Yes	
Analog Man	All Models, Exceptions Listed Below	Yes	
	Peppermint Fuzz	Yes*	Ground Hound + Cable-Red
	Sun Face	Yes*	Ground Hound + Cable-Red
Aphex	All Models	Yes	
Arion	All Models	Yes	
Axess Electronics	BS2	Yes	
	CFX4	Yes	
	GRX4	Yes	
	FX1	No	Requires 9V AC
	MFC5	No	Requires 9V AC
Banzai	All Models	Yes	
Barber	All Models	Yes	
BBE	All Models, Exceptions Listed Below	Yes	
	Acoustimax	No	Requires 12 Volts AC
Blackstar	All Models	No	Requires 16 Volts AC
Behringer	All Models	Yes	
Boss	All Models Using PSA Adapter	Yes	
	All Models Using ACA Adapter	Yes*	Iso-Pump Set to 12V DC
BYOC	All Models	Yes	
Carl Martin	All Models Without Built in AC Cord	Yes	
Catalinbread	All Models	Yes	
Chunk Sytems	All Models	Yes	
Colorsound	All Models	Yes*	Cable-Grey
Cusack Music	All Models	Yes	
D*A*M	All Models, Exceptions Listed Below	Yes	
	1966 Fuzz	Yes*	Cable-Grey
	MKII	Yes*	Cable-Grey
Danelectro	All Models, Exceptions Listed Below	Yes	
	Cool Cat (original version)	Yes*	Iso-Pump set to 18V DC
Death By Audio	All Old Models	Yes*	Cable-Blue
	All New Models	Yes	
Demeter	All Models, Exceptions Listed Below	Yes	Cable-Blue
	RRP Reverbulator	Yes	Iso-Pump Set to 24V DC + Cable-Red
Devi Ever USA	All Models	Yes	
Diamond	Alter Ego	Yes	
	Boost-EQ	Yes	
	Compressor	Yes	
	Diamond Router	Yes	
	Fireburst	Yes*	Iso-Pump Set to 24V DC
	Halo Chorus	Yes*	Iso-Pump Set to 24V DC
	Memory Lane	Yes*	Iso-Pump Set to 24V DC
	Phase	Yes*	Iso-Pump Set to 24V DC
	ST-MIX	Yes*	Iso-Pump Set to 24V DC
	Vibrato	Yes*	Iso-Pump Set to 24V DC
Digitech	Artist Series Crossroads	Yes	
	Artist Series Jimi Hendrix Experience	No	Requires 9V AC
	Artist Series Scott Ian Black 13	Yes	
	Artist Series The Weapon	Yes	
	All New Distortion Series Models	Yes	
	PDS Series Models	Yes*	Cable-Red
	Whammy/XP Series Models	No	Require 9V AC
	All X-Series Models	Yes	
DOD	All Models, Exceptions Listed Below	Yes*	Older versions may require Cable-Blue
	Bass 30	No	Requires 9V AC
	D12 Dimension	No	Requires 9V AC
	D3 Dimension 3	No	Requires 9V AC
	D6	No	Requires 9V AC
	FX7	No	requires 9V AC
	G10	No	requires 9V AC
	SR400 D Digital Room Delay Processor	No	requires 9V AC
	TEC8G	No	requires 9V AC
	VGS50	No	requires 9V AC
	VOFX	No	requires 9V AC
Dunlop (see also MXR)	All Wah Models, Exceptions Listed Below	Yes	
	Cry Baby Slash Wah	Yes*	Iso-Pump Set to 18V DC
	Jimi Hendrix Fuzz Face	Yes*	Ground Hound + Cable-Grey
	Jimi Hendrix Octavio	Yes*	Cable-Grey
	Univibe Rotating Speaker Effect	Yes*	Iso-Pump Set to 18V DC
Effector 13	All Models	Yes	
Electro Harmonix**	See Separate List Below	See Separate List Below	See Separate List Below
EMMA	All Models	Yes	
Empress Effects	All Models, Exceptions Listed Below	Yes	
	Superdelay	Yes*	Cable-Red
Eventide	All Factor Pedals	Yes*	Ground-Hound recommended
Fishman	All Models	Yes	
FoxRox	Captain Coconut	No	Requires 9V AC
	Paradox TZF	No	Requires 9V AC
	ZIM	Yes	
	Octron/Octron II	Yes	
	Hot Silicon Fuzz	Yes	
	Aquavibe	Yes	

BRAND	MODEL	PA-9 COMPATIBLE	ADDITIONAL REQUIREMENTS/NOTES
Frantone	All Models (Pre-2001)	Yes*	Cable-Blue
	All Models (Post-2001)	Yes	
Fulltone	All Models, Exceptions Listed Below	Yes	
	69-Fuzz	Yes*	Ground Hound + Cable-Red
	Octafuzz	Yes*	Ground Hound + Cable-Red
	Soul Bender	Yes*	Ground Hound + Cable-Red
Geoffrey Teese	All Wah Models	Yes	
GigFX	All Models	Yes	
Guyatone	All Micro & mighty micro Series Models	Yes	
	All Flip Series Tube Effects	Yes*	Iso-Pump Set to 12V DC
	FZ-2000 Fuzz 2000	Yes	
HAO Handbuilt	All Models	Yes	
Hombrew	All Models, Exceptions Listed Below	Yes	
	Frostbite Flanger	Yes*	Iso Pump set to 18 VDC
	Germania	Yes*	Ground Hound + Cable-Red
Hughes & Kettner	Replex	No	requires 13V AC
	Rotosphere MKII	No	requires 12V AC
	Tube Factor	No	requires 13.4V AC
	Tube Man MKII	No	requires 13.1V AC
Ibanez	All Models	Yes*	Some Older Models Require Cable-Blue
	AD80 Analog Delay	Yes*	Iso-Pump Set to 18V DC
	CS505 Stereo Chorus	Yes*	Iso-Pump Set to 18V DC
ISP	All New Models	Yes	
Jacques	All Old Models	Yes*	Cable-Blue
	All New Models	Yes	
Keeley	All Models	Yes	
Korg	Ampworks B	No	4.5V Centre Positive, small barrel
	DT-10	Yes	
	DT-10BK	Yes	
	KP1 KAOSS Pad	Yes*	Iso-Pump Set to 12V DC
	KP2 KAOSS Pad	Yes*	Iso-Pump Set to 12V DC
	KP3 KAOSS Pad	Yes*	Iso-Pump Set to 12V DC
	microKORG - Synthesizer/Vocoder	Yes	
	mini-KP - KAOSS Pad	No	4.5V DC Centre Positive, small barrel
Lehle	All Models	Yes	
Line 6	All POD Series	No	9V AC on a 2.5mm barrel plug
	Stompbox Modelers	Yes*	Cable-Green
	Tonecore Models	Yes*	Ground Hound recommended
Love Pedal	All Models	Yes	
Mad Professor	All Models	Yes	
Marshall	All Models	Yes	
Maxon	All Vintage Series Models, Except Below	Yes	
	AD-900 Analog Delay	Yes*	Iso-Pump Set to 12V DC + Cable-Red
	All Reissue Series Models	Yes	
	All Nine Series Models	Yes	
	All Real Tube Series Models	Yes	
Menatone	All Models	Yes	
MI Audio	All Models	Yes	
ModTone	All Models	Yes	
Moog	All Models	Yes*	Ground Hound + Cable-Red
Morley	All Models	Yes	
MXR	All Old Models	Yes*	Cable-Blue
	All New Models, Exceptions Listed Below	Yes	
	Bass Blow Torch	Yes*	Iso-Pump Set to 18V DC
	EVH Flanger	Yes*	Iso-Pump Set to 18V DC
	Kerry King 10 Band EQ	Yes*	Iso-Pump Set to 18V DC
	M-108 Ten Band EQ	Yes*	Iso-Pump Set to 18V DC
	M-117r Flanger	Yes*	Iso-Pump Set to 18V DC
	Stereo Chorus	Yes*	Iso-Pump Set to 18V DC
	All Models	Yes	
	Nobels	All Models	Yes
Pete Cornish	All Models	Yes	
Peterson Tuners	All Models, Exceptions Listed Below	No	
	Strobo Stomp 1/2	Yes	
Pigtronix	Attack Sustain	No	Requires 15V DC
	Disnortion	No	Requires 15V DC
	Echolution	No	Requires 15V DC
	EP-1 Envelope Phaser	No	Requires 12V AC
	PolySaturator	Yes	
ProCo	All Models	Yes*	Cable-Blue
Radial Engineering	Bass Bone	No	Requires 15V DC
	Bigshot PB1 Power Booster	Yes	
	Bigshot SW2	Yes	
	Cabbone speaker Cabinet Switcher	No	
	Classic Tube Distortion	No	Requires 15V DC
	Hot British Tube Distortion	No	requires 15V AC
	Loopbone	No	Requires 15V DC
	Plexi-Tube	No	Requires 15V DC
	Switch Bone ABY Switcher	No	Requires 15V DC
	Trimode Tube Distortion	No	Requires 15V DC
	Red Witch	All Models	Yes
Rocktron	All Models, Exceptions Listed Below	Yes	
	Banshee Talk Boxes	No	
	Black cat moan	Yes*	Cable-Red
	Silver Dragon	No	
Roger Linn	AdrenaLinn III Models	Yes*	Cable-Red
Roger Mayer	All Models	Yes*	Some Older Models Require Cable-Grey
Sabine	All NexFX Series Models	Yes*	Cable-Red into Cable-Green
Seymour Duncan	All Models, Exceptions Listed Below	Yes	
	Twin Tube Classic	No	requires 16V AC
	Twin Tube Mayhem	No	requires 16V AC
Skreddy Pedals	All Models	Yes	
Subdecay Studios	All Models	Yes	
TC Electronics	All Nova Series Models	Yes*	Iso-Pump set to 12v

BRAND	MODEL	PA-9 COMPATIBLE	ADDITIONAL REQUIREMENTS/NOTES
Tech21	All Models, Exceptions Listed Below	Yes	
	SansAmp Classic	Yes*	Cable-Blue
	SansAmp GT2	Yes*	Early Models Require Cable-Blue
Toad Works	All Models	Yes	
T-Rex	All Models, Exceptions Listed Below	Yes	
	Replica Delay	Yes*	Iso-Pump set to 12v
	Room-Mate Reverb	Yes*	Iso-Pump set to 12v
	Spin Doctor Distortion	Yes*	Iso-Pump set to 12v
	Squeezer Compressor	Yes*	Iso-Pump set to 12v
	Viper Distortion	Yes*	Iso-Pump set to 12v
TWA - Totally Wicked Audio	All Models	Yes	
Way Huge	All Models	Yes	
Voodoo Lab	All Models	Yes	
Vox	All Cooltron Series Models	Yes	
	All Wah Models, Exceptions Listed Below	Yes	
	V-847 Wah	Yes*	Pre-2008 Models Require Cable-Grey
Xotic	All Models, Exceptions Listed Below	Yes	
	Robotalk Version 1	Yes*	Requires 2 x Ground-Hound
	Tri-Logic Bass Preamp	Yes*	Iso-Pump set to 18v
Zoom	HL-01 Hyper Lead	Yes	
	PD-01 Power Drive	Yes	
	TM-01 Tri Metal	Yes	
	UL-01 Ultra Fuzz	Yes	
	All Models, Exceptions Listed Below	Yes*	Pre-2005 Models Require Cable-Grey
	Tremolo Probe	No	
	Wah Probe	No	
Vintage Effects	Please contact us at info@godlyke.com with the Brand/Model you need to power		

****Electro-Harmonix**

NANO Series Models	All models*	Some models may Require GH-1 to operate properly	
XO Series Models	All Models*, Exceptions Listed Below	Some models may Require GH-1 to operate properly	
	Frequency Analyzer	No - Requires 40 VDC	
	Hum Debugger	No - Requires 7.5 VAC	
	Q-Tron	Yes - Iso-Pump set to 24V DC + Cable Green	
	Q-Tron+	Yes - Iso-Pump set to 24V DC + Cable Green	
	Stereo Polyphase	Yes - Iso-Pump set to 24V DC + Cable Green	
	White Finger	No - Requires 40 VDC	
	The Worm	Yes - Iso-Pump set to 24V DC + Cable Green	
Russian Models	Yes*	Cable-Blue	
NYC Models (Classic Chassis)	All Models*, Exceptions Listed Below	Cable-Blue	
	Holy Grail	Ground Hound + Cable-Blue	
Vintage-Style Chassis (trapezoid)	All Models*, Exceptions Listed Below		
	16-Second Digital Delay	Yes - Ground Hound + Cable Green	
	Bass Micro Synth	Yes - Iso-Pump set to 24V DC + Cable Green	
	Deluxe Electric Mistress	Yes	
	Deluxe Memory Man	Yes - Iso-Pump set to 24V DC + Cable Green	
	Frequency Analyzer	No - Requires 40V DC	
	Graphic Fuzz	No - Requires 40V DC	
	Holier Grail	Yes - Iso-Pump set to 18V DC + Cable Green	
	Holiest Grail	Cable-Green	
	Micro Synth	Yes - Iso-Pump set to 24V DC + Cable Green	
	P.O.G.	Iso-Pump set to 18V DC + Cable Green	
	Q-Tron	Iso-Pump set to 24V DC + Cable Green	
	Q-Tron+	Iso-Pump set to 24V DC + Cable Green	
	Stereo Memory Man	Iso-Pump set to 24V DC + Cable Green	
	Stereo PolyChorus	Iso-Pump set to 24V DC + Cable Green	
	The Worm	Iso-Pump set to 24V DC + Cable Green	
Tube Models	No	Require 12 VAC	
Other Models	2880 Super Multi-Track Looper	Yes	
	Bi-Filter	No - requires 18 VAC	
	Flanger Hoax	Yes - Iso-Pump set to 18V DC + Cable Green	
	H.O.G.	Ground Hound + Cable Green	
	NY-2A	No - requires 110 VAC	

Where's my pedal? If you have a pedal that is not listed, please contact us at info@godlyke.com and we'll add it to the chart!

DISCLAIMER:

The **Godlyke Power-All®** Power Compatibility Chart should be used for general reference purposes only. Please check the manufacturer's specifications for each of your effect units before connecting them to the **Power-All®** or **Power-All®** accessories. Please contact us directly at info@godlyke.com if any of the information listed in this chart is unclear to you.

Godlyke, Inc. assumes no responsibility for pedals damaged due to improper connection to the **Power-All®**